vi *	Application No.	Applicant(s)
Notice of Allowability		
	10/637,105 Examiner	KO ET AL.
	Laura M. Schillinger	2813
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT OF THE OFFICE OF UPON PETRON BY THE OFFICE OF THE OFFICE	(OR REMAINS) CLOSED in this ap or other appropriate communicatior GHTS. This application is subject to	plication. If not included n will be mailed in due course. THIS
1. This communication is responsive to 7/28/05.	,	
2. The allowed claim(s) is/are 6-8 and 10-14.		
3. Acknowledgment is made of a claim for foreign priority und a) All b) Some* c) None of the:  1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMITHIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give 5. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftsperson 1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.1 each sheet. Replacement sheet(s) should be labeled as such in the	been received.  been received in Application No cuments have been received in this of this communication to file a reply ENT of this application.  tted. Note the attached EXAMINER is reason(s) why the oath or declarat t be submitted. on's Patent Drawing Review ( PTO- c Amendment / Comment or in the C	national stage application from the complying with the requirements  I'S AMENDMENT or NOTICE OF ation is deficient.  -948) attached  Office action of the back) of
6. DEPOSIT OF and/or INFORMATION about the depose attached Examiner's comment regarding REQUIREMENT F	sit of BIOLOGICAL MATERIAL I	must be submitted. Note the
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/06 Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Da 8), 7. ☑ Examiner's Amendi	te

Art Unit: 2813

## **DETAILED ACTION**

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Cancel claims 21-39.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Laura M. Schillinger whose telephone number is (571) 272-1697. The examiner can normally be reached on M-T, R-F 7:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl W. Whitehead, Jr. can be reached on (571) 272-1702. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Laura M Schillinger Primary Examiner Art Unit 2813

Page 3

10/16/05